

Chair E. a. SOLI
CATALOGUE

OF THE
DIPTERA
OF THE
AFROTROPICAL REGION

Editor:
R. W. CROSSKEY

Assistant editors:
BRIAN H. COGAN, PAUL FREEMAN
ADRIAN C. PONT, KENNETH G. V. SMITH
and the late
HAROLD OLDROYD

BRITISH MUSEUM
(NATURAL HISTORY)
LONDON

1980

Superfamily MYCETOPHILOIDEA

15. Family MYCETOPHILIDAE

by

LOÏC MATILE

The Mycetophilidae, or fungus-gnats, are still poorly known, and most of the 262 valid species listed in this Catalogue are known only from their type-localities; many undescribed taxa, however, exist in various collections, and there are undoubtedly still many more to be collected. The family has been much neglected by collectors until recently, no doubt because of the small size of its members, the want of taxonomists, and the lack of any socio-economic importance.

In low altitude tropical forests the adults of Mycetophilidae are found rather evenly dispersed in dark places, mainly under the leaves of the undergrowth vegetation; this is in contrast to the localized habit found in the less humid temperate forests, where adults gather in large numbers in damper and shadier places. The adults of some genera (*Euceroplatus*, *Rhymoleia*, *Tolletia*) are found hanging in spiders' webs, whilst those of *Phronia* can be found flying up and down tree-trunks. Adults of *Leia* and *Rhymoleia* can sometimes be seen swarming and copulating on the leaves along lanes and clearings; those of both genera, and also of *Orfelia*, are attracted to light and can be found on windows at night.

Most larvae, but especially those of Mycetophilinae, feed on the fruiting bodies of fungi. Many others (Keroplatinae and Sciophilinae) spin mucus webs under fungi, fallen branches or rotten tree-trunks, and may feed on fungal spores or hyphae or be predators; in some instances they kill their prey by means of oxalic acid contained in their salivary fluid. Some African (genus *Viridivora*) and European species feed on mosses and liverworts. An unusual Tasmanian species lives as an endoparasite of land Planarians. The biology and larval morphology of some western European mycetophilids are treated by Mansbridge (1933), Madwar (1937) and Buxton (1960), the last-mentioned work providing a brief review of mycetophilids associated with fungi.

The most abundant species in the tropical lowlands of the Afrotropical Region are those with web-spinning larvae, mainly Keroplatinae and Sciophilinae and the genus *Epicypta* of the Mycetophilinae, the larvae of which live under dead wood. Dominant genera are *Orfelia*, *Leia*, *Epicypta* and *Neoempheria*, the same as noted by Colless & Liepa (1973) for the Oriental and Australasian Regions but with the exception of *Exechia*, and the addition of *Parempherilla* for the Afrotropical Region. Within this region the fungus-gnats seem much less common, as a rule, in the high altitude forests, where they show a noticeably higher proportion of Mycetophilinae, and the generic composition of the fauna in these areas is much closer to that of the Holarctic Regions.

The absence of the subfamilies Bolitophilinae, Ditomyiinae and Diadocidiinae, and the poor representation of the tribes Sciophilini and Gnoristini (Sciophilinae) in the region should be specially noted. Concerning the Diadocidiinae the existence of a South African member was mentioned by Freeman (1951), but this was later described by Freeman (1960) in a new genus, *Rhynchoheterotricha*, and placed in Sciaridae. The affinities of *Rhynchoheterotricha*, and the related genus *Heterotricha*, are uncertain but it is considered that neither belongs to the Diadocidiinae, and for purposes of this Catalogue they are listed in the Sciaridae.

There is no comprehensive taxonomic account of the Afrotropical mycetophilid fauna as yet, but recent works with partial keys to genera or species include those of Freeman (1970) and Matile (1973b) for Macrocerini, Matile (1970, 1972c, 1974b) for Keroplatinae, Matile (1972d) for Manotinae, Matile (1971a) for *Pseudexechia*, Matile (1974a) for *Parempherilla*, and Matile (1975a) for *Metanepsia*. Other taxonomic works with relevance for the regional fauna include those of Tuomikoski (1966a, 1966b, 1966c) on the Exechiini, Manotinae and Lygistorrhinae, and the keys to world genera—now rather outdated—of Johannsen (1909), Tonnoir (1929) and Edwards (1925b). Edwards's classification of the Keroplatini (Edwards, 1925b, 1929f) has been adopted here, pending a much-needed revision of the genera of this group which is currently in preparation.

Subfamily KEROPLATINAE

Tribe MACROCERINI

Genus CHIASMONEURA de Meijere

CHIASMONEURA de Meijere, 1913: 323. Type-species: *Chiasmoneura anthracina* de Meijere, 1913, by monotypy.
bipunctata Matile, 1973b: 601. Nigeria.
flavicoxa Matile, 1973b: 604. Uganda.
tripunctata Matile, 1973b: 603. Kenya.
vittata Matile, 1973b: 606. Uganda.

Genus CHIASMONEURELLA Matile

CHIASMONEURELLA Matile, 1973b: 606. Type-species: *Chiasmoneurella edwardsiana* Matile, 1973, by original designation.
edwardsiana Matile, 1973b: 609. Uganda.

Genus MACROCERA Meigen

MACROCERA Meigen, 1803: 261. Type-species: *Macrocerata lutea* Meigen, 1804, by designation of Curtis (1837a: 637). [*Macrocerata* proposed with one doubtfully included species: Curtis's designation from first four subsequently included species (Meigen, 1804: 46–47).]
PROMACROCERA Speiser, 1913b: 134. Type-species: *Promacrocerata interrogationis* Speiser, 1913, by original designation.
africana Freeman, 1970: 364. Zaire; widespread W. Afr. to E. Afr. & sthn Afr., Madagascar.
albipunctata Matile, 1973b: 598. Cameroun.
annuliventris Matile, 1972c: 112. Madagascar.
basilewskyi Vanschuytbroeck, 1965b: 383. Tanzania.
edwardsi Freeman, 1970: 366. Uganda; Cameroun.
elgonensis Freeman, 1970: 366. Kenya.
exilis Matile, 1972c: 111. Comoro Is.
fumigata Tolle, 1955: 4. Zaire.
griveaudi Matile, 1972c: 110. Madagascar.
insolita Matile, 1972c: 107. Madagascar; Comoro Is.
interrogationis Speiser, 1913b: 134 (*Promacrocerata*). Cameroun.
lateralis Freeman, 1970: 365. Ethiopia.
nephrotoma Matile, 1972c: 109. Madagascar.

- nitida** Freeman, 1970: 365. Uganda.
pictipennis Matile, 1969: 137. Madagascar.
puncticosta Edwards, 1934: 322. São Tomé; widespread W. Afr. to E. & sthn Afr., Zaire.
schoutedeni Tollet, 1954: 533. Zaire.
supposititia Tollet, 1955: 6. Zaire.
unispina Freeman, 1970: 366. Uganda; Kenya.
vespertina Matile, 1973b: 598. Cameroun.

Tribe KEROPLATINI

Genus ASYNAPHLEBA Matile

- ASYNAPHLEBA** Matile, 1974c: 520. Type-species: *Asynaphleba stuckenbergi* Matile, 1974, by original designation.
stuckenbergi Matile, 1974c: 521. South Africa.

Genus CLOEOPHOROMYIA Matile

- CLOEOPHOROMYIA** Matile, 1970: 809. Type-species: *Cloeophoromyia mirei* Matile, 1970, by original designation.
crassinervia Matile, 1970: 814. Cameroun.
flavicoxa Matile, 1970: 815. Cameroun.
fumipennis Matile, 1970: 812. Cameroun.
mirei Matile, 1970: 811. Cameroun.
teocchii Matile, 1970: 812. Central African Republic.
vittata Matile, 1970: 814. Central African Republic.

Genus CTENOCERIDION Matile

- CTENOCERIDION** Matile, 1972e: 167. Type-species: *Ctenoceridion freemani* Matile, 1972, by original designation.
freemani Matile, 1972e: 168. South Africa.

Genus EUEROPLATUS Edwards

- EUCEROPLATUS** Edwards, 1929f: 174 (as subgenus of *Keroplatus*). Type-species: *Keroplatus notaticoxa* Senior-White, 1922, by original designation.
alberti Tollet, 1955: 16 (*Cerotelion*). Zaire; Congo basin.
f. versicolor Tollet, 1955: 19. Zaire; Central African Republic.
f. flavithorax Matile, 1970: 780. Cameroun. [Unavailable name: form name published after 1960.]
brevistylus Matile, 1973d: 193. Fernando Pôo.
congoensis Tollet, 1955: 21 (*Cerotelion*). Zaire; Cameroun.
flavifemoratus Tollet, 1955: 20 (*Cerotelion*). Zaire; Cameroun, Central African Republic.
incolimus Matile, 1974b: 920. Central African Republic.
plokiophilus Matile, 1973d: 191. Fernando Pôo.

Genus HETEROPTERNA Skuse

- HETEROPTERNA** Skuse, 1888: 1166. Type-species: *Heteropterna macleayi* Skuse, 1888, by monotypy.

Subgenus HETEROPTERNA Skuse

- HETEROPTERNA** Skuse, 1888: 1166 (as genus). Type-species: *Heteropterna macleayi* Skuse, 1888, by monotypy.
ghesquierei Tollet, 1955: 8. Zaire.

Subgenus SCROBICULA Matile

- SCROBICULA** Matile, 1970: 782. Type-species: *Heteropterna balachowskyi* Matile, 1970, by original designation.
balachowskyi Matile, 1970: 782. Central African Republic.

Genus KEROPLATUS Bosc

- KEROPLATUS** Bosc, 1792: 42. Type-species: *Keroplatus tipuloides* Bosc, 1792, by monotypy.
CEROPLATUS. Incorrect subsequent spelling of *Keroplatus* (from Fabricius, 1798: 550).
fuscomaculatus Tollet, 1955: 14. Zaire; Central African Republic.
heimi Matile, 1970: 775. Central African Republic.

Genus MONOCENTROTA Edwards

- MONOCENTROTA** Edwards, 1925b: 526. Type-species: *Monocentrota lundstromi* Edwards, 1925, by original designation.
aethiopica Matile, 1974b: 929. Mozambique; widespread W. Afr. to E. Afr. & sthn Afr.
descarpentriesi Matile, 1972c: 113 (*Orfelia*). Madagascar.
griveaudi Matile, 1972c: 115 (*Orfelia*). Madagascar.

Genus ORFELIA Costa

- ZELMIRA** Meigen, 1800: 16. Suppressed by I.C.Z.N., 1963b: 339 (Opinion 678).
ORFELIA Costa, 1857: 448. Type-species: *Platyura fasciata* Meigen, 1804, by designation of Hardy (1960b: 200). [*Orfelia* proposed without originally included species: Hardy's designation from first six expressly included species (Hardy, 1960b: 199–208).]
PLATYURA, authors, not Meigen.

Subgenus LAURYPTA Edwards

- LAURYPTA** Edwards, 1929f: 171 (as subgenus of *Platyura*). Type-species: *Platyura leptura* Edwards, 1928, by original designation.
laevis Enderlein, 1910b: 67 (*Platyura*). Seychelles.
scalaris Matile, 1970: 796. Cameroun; Central African Republic.

Subgenus LYPRAUTA Edwards

- LYPRAUTA** Edwards, 1931a: 77 (as subgenus of *Platyura*). Type-species: *Platyura defecta* Edwards, 1931, by original designation.
brunneicauda Matile, 1970: 795. Cameroun.
chambordi Matile, 1974b: 936. Central African Republic.

Subgenus NEOPLATYURA Malloch

- NEOPLATYURA** Malloch, 1928e: 601 (as genus). Type-species: *Platyura setiger* Johannsen, 1910, by original designation.
axillariger Enderlein, 1910b: 66 (*Platyura*). Seychelles; South Africa.
griseipennis Matile, 1970: 785. Cameroun.
manjarivolo Matile, 1972c: 116. Madagascar.

Subgenus ROFELIA Matile

- ROFELIA** Matile, 1972c: 112. Type-species: *Orfelia rothiana* Matile, 1972, by original designation.
rothiana Matile, 1972c: 113. Madagascar.

Subgenus RUTYLAPA Edwards

- RUTYLAPA** Edwards, 1929f: 171 (as subgenus of *Platyura*). Type-species: *Platyura ruficornis* Zetterstedt, 1851, by original designation.
annulata Matile, 1972c: 117. Réunion.
brunneidorsum Matile, 1970: 798. Central African Republic.
magnicerca Matile, 1972c: 118. Madagascar.
nigridorsum Matile, 1970: 797. Central African Republic.

Subgenus TAULYRPA Edwards

- TAULYRPA** Edwards, 1929f: 171 (as subgenus of *Platyura*). Type-species: *Cerotelion vespiformis* Enderlein, 1910, by original designation.
caeruleovittata Matile, 1972c: 119. Madagascar.

Subgenus TRUPLAYA Edwards

- TRUPLAYA** Edwards, 1929f: 170 (as subgenus of *Platyura*). Type-species: *Platyura venusta* Walker, 1856, by original designation.
aethiopica Lindner, 1958d: 2 (*Zelmira*). Tanzania.
agnita Matile, 1974c: 524. South Africa.
calogastra Speiser, 1913b: 133 (*Zelmira*). Cameroun; widespread W. Afr. to E. Afr. & South Africa.
masaia Lindner, 1958d: 3 (*Zelmira*). Tanzania.
rubricoxa Matile, 1972c: 122. Madagascar.

Subgenus XENOPLATYURA Malloch

- XENOPLATYURA** Malloch, 1928e: 601 (as genus). Type-species: *Platyura conformis* Skuse, 1888, by original designation.
AFRORFELIA Matile, 1970: 787. Type-species: *Orfelia tsacasi* Matile, 1970, by original designation.
ahalaensis Matile, 1970: 790. Cameroun.
brevitarsata Matile, 1970: 789. Cameroun.
familiaris Matile, 1974b: 932. Central African Republic.
hutsoni Matile, 1972c: 119. Madagascar; Astove I.
littoralis Matile, 1974c: 525. South Africa.
lobata Matile, 1974c: 527. South Africa.
longeuncta Speiser, 1913b: 131 (*Zelmira*). Cameroun.

MYCETOPHILIDAE

221

- maculata** Matile, 1970: 788. Cameroun.
malkini Matile, 1974b: 932. Cameroun.
natalensis Matile, 1974c: 527. South Africa.
nkobissonensis Matile, 1970: 793. Cameroun.
paradoxa Matile, 1965: 1111 (*Platyura*). Guinea.
rudebecki Matile, 1974c: 529. South Africa.
rufonigra Matile, 1972c: 122. Madagascar.
selenea Matile, 1970: 793. Cameroun.
spangleri Matile, 1974c: 531. South Africa.
tsacasi Matile, 1970: 789. Cameroun.
vespertina Matile, 1970: 791. Central African Republic.

Genus PARACEROTELION Matile

- PARACEROTELION** Matile, 1974c: 514. Type-species: *Paracerotelion flavicauda* Matile, 1974, by original designation.
flavicauda Matile, 1974c: 516. South Africa.

Genus PROCEROPLATUS Edwards

- PROCEROPLATUS** Edwards, 1925b: 523. Type-species: *Platyura pictipennis* Wiliston, 1896, by original designation.
aedon Vanschuytbroeck, 1965b: 384 (*Cerotelion*). Tanzania; widespread W. Afr. to E. Afr.
bicornutus Matile, 1970: 791 (*Orfelia*). Cameroun.
minutus Matile, 1974b: 925. Central African Republic.
pictus Speiser, 1908c: 128 (*Ceroplatus*). Tanzania. **Comb. n.**
seguyi Matile, 1972c: 115 (*Orfelia*). Réunion.
mirabilis Matile, 1972c: 115. [Unavailable name: MS name of Séguy published as synonym.]
whitfieldii Matile, 1974b: 926. Central African Republic.

Genus RALYTUPA Edwards

- RALYTUPA** Edwards, 1929f: 171 (as subgenus of *Platyura*). Type-species: *Platyura pendleburyi* Edwards, 1928, by original designation.
angusta Matile, 1975b: 184. Sierra Leone; Ivory Coast, Nigeria, Uganda.
assimilis Matile, 1970: 803 (*Orfelia*). Central African Republic; Cameroun, Nigeria.
bacillata Matile, 1975b: 186. Uganda.
bifaria Matile, 1975b: 188. Nigeria.
compacta Matile, 1975b: 189. Nigeria.
danielae Matile, 1973d: 194 (*Orfelia*). Fernando Pôo.
dentata Matile, 1975b: 192. Ivory Coast.
denticulata Matile, 1974c: 522 (*Orfelia*). South Africa.
fissiterga Matile, 1970: 805 (*Orfelia*). Central African Republic.
flavida Matile, 1970: 806 (*Orfelia*). Cameroun.
flaviscapularis Matile, 1970: 806 (*Orfelia*). Cameroun; Ghana.
flavonigra Matile, 1974b: 938 (*Orfelia*). Central African Republic.
fumidapex Matile, 1970: 802 (*Orfelia*). Cameroun.
funebris Matile, 1970: 805 (*Orfelia*). Cameroun; Central African Republic.
rivalis Matile, 1970: 804 (*Orfelia*). Cameroun.
grahami Matile, 1975b: 200 (*Orfelia*). Nigeria.
gromieri Matile, 1970: 800 (*Orfelia*). Cameroun; widespread W. Afr. to E. Afr.

- insidiosa** Matile, 1974b: 943 (*Orfelia*). Cameroun; W. Afr.
issongo Matile, 1974b: 941 (*Orfelia*). Central African Republic.
lindneri Matile, 1973c: 1 (*Orfelia*). Tanzania.
major Matile, 1970: 807 (*Orfelia*). Cameroun; widespread W. Afr. to E. Afr.
medleri Matile, 1975b: 206. Nigeria.
melanopyga Matile, 1970: 800 (*Orfelia*). Cameroun.
minor Matile, 1970: 800 (*Orfelia*). Cameroun.
nasuta Matile, 1975b: 211. Sudan.
penicillata Matile, 1975b: 210. Ivory Coast; Ghana.
pugiata Matile, 1975b: 211. Sudan.
pyrrophaea Matile, 1970: 803 (*Orfelia*). Central African Republic; Ghana, Uganda.
simplicistyla Matile, 1975b: 212. Uganda; Liberia, Nigeria.
subminor Matile, 1975b: 214. Nigeria.
theobromaphila Matile, 1970: 803 (*Orfelia*). Cameroun; Nigeria.
virgulta Matile, 1975b: 216. Ghana.
vittigera Matile, 1970: 809 (*Orfelia*). Cameroun.
wolteri Lindner, 1958d: 2 (*Zelmira*). Tanzania.

Genus SCHIZOCYTTARA Matile

- SCHIZOCYTTARA** Matile, 1974c: 517. Type-species: *Schizocytara turneri* Matile, 1974, by original designation.
brincki Matile, 1974c: 520. South Africa.
turneri Matile, 1974c: 518. South Africa.

Genus TOLLETIA Matile

- TOLLETIA** Matile, 1973d: 193. Type-species: *Platyroptilon vrydaghi* Tollet, 1955, by original designation.
vrydaghi Tollet, 1955: 11 (*Platyroptilon*). Zaire; Cameroun, Central African Republic, Fernando Pôo.

Subfamily LYGISTORRHININAE

Genus LYGISTORRHINA Skuse

- LYGISTORRHINA** Skuse, 1890a: 598. Type-species: *Lygistorrhina insignis* Skuse, 1890, by monotypy.
Undescribed sp.—Kenya, Uganda.

Subfamily SCIOPHILINAE

Tribe GNORISTINI

Genus BOLETINIELLA Matile

- BOLETINIELLA** Matile, 1973d: 204. Type-species: *Boletiniella nigrifemur* Matile, 1973, by original designation.
nigrifemur Matile, 1973d: 204. Fernando Pôo; Cameroun.

Genus DZIEDZICKIA Johannsen

- HERTWIGIA** Dziedzicki, 1885: 166. Type-species: *Hertwigia marginata* Dziedzicki, 1885, by monotypy. [Junior homonym, preocc. *Hertwigia* Schmidt, 1880.]
DZIEDZICKIA Johannsen, 1909: 44 (replacement name for *Hertwigia* Dziedzicki).
nitida Edwards, 1925c: 607. South Africa.

Tribe MYCOMYINI

Genus MORINIOLA Matile

- MORINIOLA** Matile, 1976b: 139. Type-species: *Moriniola grilloti* Matile, 1976, by original designation.
grilloti Matile, 1976b: 140. Congo.

Genus MYCOMYA Rondani

- MYCOMYA** Rondani, 1856: 194. Type-species: *Sciophila marginata* Meigen, 1818, by original designation.
MYCOMYIA. Variant spelling of *Mycomya*.
alluaudi Edwards, 1914b: 53. Kenya.
andreinii Beazzi, 1906c: 202 (*Sciophila*). Ethiopia (Eritrea).
himiti Vanschuytbroeck, 1965b: 386 (*Dziedzickia*). Tanzania. **Comb. n.**
kiboensis Lindner, 1958d: 3. Tanzania.
lightfooti Edwards, 1925c: 608. South Africa.

Genus MYCOMIELLA Matile

- MYCOMIELLA** Matile, 1973d: 200. Type-species: *Mycomyiella camerounensis* Matile, 1973, by original designation.
camerounensis Matile, 1973d: 202. Cameroun.
securiculata Matile, 1973d: 202. Fernando Pôo.

Genus NEOEMPERIA Osten Sacken

- EMPERIA** Winnertz, 1863: 738. Type-species: *Sciophila striata* Meigen, 1818, by designation of Coquillett (1910: 537). [Junior homonym, preocc. *Empheria* Hagen, 1856.]
NEOEMPERIA Osten Sacken, 1878: 9 (replacement name for *Empheria* Winnertz).
amphiphaea Speiser, 1909b: 35. Tanzania.
appendiculata Matile, 1973d: 196. Fernando Pôo.
boubya Matile, 1973d: 198. Fernando Pôo.
donskoffi Matile, 1973a: 252. Zaire.
ediya Matile, 1973d: 198. Fernando Pôo.
flavida Matile, 1973d: 200. Fernando Pôo.
jeannelli Edwards, 1914b: 52. Kenya.
ombrophila Matile in Delobel & Matile, 1976: 390. Central African Republic.

Genus PAREMPHERIELLA Matile

- PAREMPHERIELLA** Matile, 1974a: 612 (as subgenus of *Parempheria* Matile). Type-species: *Parempheria flava* Matile, 1974, by original designation.

Subgenus PAREMPHERIELLA Matile

- PAREMPHERIELLA** Matile, 1974a:612 (as subgenus of *Parempheria* Matile). Type-species: *Parempheria flava* Matile, 1974, by original designation.
- affinis** Matile, 1974a:623 (*Parempheria*). Cameroun; Central African Republic. **Comb. n.**
- alternans** Matile, 1974a:625 (*Parempheria*). Central African Republic. **Comb. n.**
- annulata** Matile, 1974a:626 (*Parempheria*). Cameroun; Central African Republic. **Comb. n.**
- aperta** Matile, 1974a:628 (*Parempheria*). Central African Republic; Cameroun. **Comb. n.**
- apicistyla** Matile, 1974a:629 (*Parempheria*). Central African Republic. **Comb. n.**
- bivittata** Matile, 1974a:629 (*Parempheria*). Cameroun. **Comb. n.**
- brunnea** Matile, 1974a:631 (*Parempheria*). Cameroun. **Comb. n.**
- caudata** Matile, 1974a:632 (*Parempheria*). Central African Republic. **Comb. n.**
- ctenophora** Matile, 1974a:634 (*Parempheria*). Central African Republic; Cameroun. **Comb. n.**
- distincta** Matile, 1974a:635 (*Parempheria*). Cameroun; Nigeria. **Comb. n.**
- essili** Matile, 1974a:635 (*Parempheria*). Central African Republic. **Comb. n.**
- filicauda** Matile, 1974a:637 (*Parempheria*). Cameroun. **Comb. n.**
- flava** Matile, 1974a:638 (*Parempheria*). Cameroun; Central African Republic, Fernando Pôo. **Comb. n.**
- flavonigra** Matile, 1974a:639 (*Parempheria*). Central African Republic. **Comb. n.**
- hirsuta** Matile, 1974a:641 (*Parempheria*). Cameroun; Central African Republic. **Comb. n.**
- indecisa** Matile, 1974a:642 (*Parempheria*). Central African Republic; Cameroun. **Comb. n.**
- isoseta** Matile, 1974a:644 (*Parempheria*). Central African Republic; Cameroun. **Comb. n.**
- kotaloukou** Matile, 1974a:645 (*Parempheria*). Central African Republic. **Comb. n.**
- kotazo** Matile, 1974a:646 (*Parempheria*). Central African Republic. **Comb. n.**
- lucida** Matile, 1974a:648 (*Parempheria*). Central African Republic. **Comb. n.**
- luciditerga** Matile, 1974a:649 (*Parempheria*). Cameroun; Central African Republic. **Comb. n.**
- ngoi** Matile, 1974a:650 (*Parempheria*). Central African Republic; Cameroun. **Comb. n.**
- ngoungou** Matile, 1974a:651 (*Parempheria*). Central African Republic. **Comb. n.**
- nkuemvonenensis** Matile, 1974a:653 (*Parempheria*). Cameroun. **Comb. n.**
- pilicauda** Matile, 1974a:654 (*Parempheria*). Cameroun. **Comb. n.**
- pilistylata** Matile, 1974a:656 (*Parempheria*). Central African Republic; Cameroun. **Comb. n.**
- quadriseta** Matile, 1974a:657 (*Parempheria*). Central African Republic. **Comb. n.**
- rufa** Matile, 1974a:658 (*Parempheria*). Central African Republic; Cameroun. **Comb. n.**
- rufifrons** Matile, 1974a:660 (*Parempheria*). Central African Republic. **Comb. n.**
- rufiventris** Matile, 1974a:660 (*Parempheria*). Cameroun. **Comb. n.**
- tetrachaeta** Matile, 1974a:661 (*Parempheria*). Central African Republic. **Comb. n.**
- toka** Matile, 1974a:663 (*Parempheria*). Central African Republic. **Comb. n.**

Subgenus PAREMPHERINA Matile

- PAREMPHERIA** Matile, 1973c:2 (as genus). Type-species: *Parempheria lobayensis* Matile, 1973, by original designation. [Junior homonym, preocc. *Parempheria* Enderlein, 1906.]
- PAREMPHERINA** Matile, 1977:287 (replacement name for *Parempheria* Matile).
- cincta** Matile, 1974a:618 (*Parempheria*). Central African Republic; Cameroun. **Comb. n.**
- ssp. **brevifurca** Matile, 1974a:620 (*Parempheria*). Cameroun.
- ssp. **cincta** s. str. Central African Republic.
- cryptopyga** Matile, 1973c:3 (*Parempheria*). Tanzania. **Comb. n.**
- lobayensis** Matile, 1973c:3 (*Parempheria*). Central African Republic. **Comb. n.**

Genus SYNDOCOSIA Speiser

- SYNDOCOSIA** Speiser, 1923:81. Type-species: *Syndocosia crema* Speiser, 1923, by original designation.
- atoma** Matile, 1976a:696. Central African Republic.
- cremea** Speiser, 1923:82. Tanzania.
- dryas** Matile, 1976a:695. Central African Republic.
- foliata** Matile, 1976a:698. Central African Republic.
- pallida** Matile, 1976a:700. Central African Republic.
- pan** Matile, 1976a:692. Central African Republic.
- pervalida** Speiser, 1923:83. Tanzania.
- syrinxe** Matile, 1976a:695. Central African Republic.

Genus VIRIDIVORA Matile

- VIRIDIVORA** Matile, 1972a:1929. Type-species: *Viridivora seguyi* Matile, 1972, by original designation.
- formosa** Matile, 1973d:203. Fernando Pôo.
- seguyi** Matile, 1972a:1929. Central African Republic.

Tribe SCIOPHILINI

Genus ACNEMIA Winnertz

- ACNEMIA** Winnertz, 1863:798. Type-species: *Leia nitidicollis* Meigen, by designation of Johannsen (1909:63).
- falkei** Matile & Vockeroth, 1977:18. Uganda.

Genus AZANA Walker

- AZANA** Walker, 1856a:26. Type-species: *Azana scatopoides* Walker, 1856 [= *Boletina anomala* Staeger, 1840], by monotypy.
- Unidentified sp.—Nigeria.

Genus LEPTOMORPHUS Curtis

- LEPTOMORPHUS** Curtis, 1831:365. Type-species: *Leptomorphus walkeri* Curtis, 1831, by original designation.
- Unidentified spp.—W. Afr. to E. Afr. & sthn Afr., Madagascar.

Genus SCIOPHILA Meigen

- SCIOPHILA** Meigen, 1818: 245. Type-species: *Sciophila hirta* Meigen, 1818, by designation of Curtis (1837a: 641).
LASIOSOMA Winnertz, 1863: 748. Type-species: *Sciophila pilosa* Meigen, 1838 [= *Sciophila hirta* Meigen, 1818], by designation of Coquillett (1910: 558). [Junior homonym, preocc. *Lasiosoma* Fieber, 1860.]
intima Lindner, 1958d: 4. Tanzania.

Tribe METANEPSIINI

Genus METANEPSIA Edwards

- METANEPSIA** Edwards, 1927b: 361. Type-species: *Metanepsia javana* Edwards, 1927, by original designation.
africana Matile, 1971b: 92. Cameroun; Central African Republic.
irwini Matile, 1975a: 216. Tanzania.
rossi Matile, 1975a: 218. Tanzania.
spangleri Matile, 1972b: 271. Kenya.
tsacasi Matile, 1971b: 94. Cameroun.

Tribe LEIINI

Genus ACRODICRANIA Skuse

- ACRODICRANIA** Skuse, 1888: 1194. Type-species: *Acrodicrania atricauda* Skuse, 1888, by designation of Johannsen (1909: 82).
africana Edwards, 1925c: 609. South Africa.

Genus ALLACTONEURA de Meijere

- ALLACTONEURA** de Meijere, 1907: 201. Type-species: *Allactoneura cincta* de Meijere, 1907, by monotypy.
SCOTTELLA Enderlein, 1910b: 60. Type-species: *Scotella argentosquamosa* Enderlein, 1910, by original designation.
argentosquamosa Enderlein, 1910b: 61 (*Scotella*). Seychelles; Madagascar, Mauritius, Asia.

Genus LEIA Meigen

- LEIA** Meigen, 1818: 253. Type-species: *Leia fascipennis* Meigen, 1818, by designation of Curtis (1837a: 645).
LEJA. Incorrect subsequent spelling of *Leia* (from Gimmerthal, 1832: 345).
LEJOMYA Rondani, 1856: 195 ([unnecessary] replacement name for *Leja*).
GLAPHYROPTERA Winnertz, 1863: 781. Type-species: *Leia fascipennis* Meigen, 1818, by designation of Coquillett (1910: 547). [Junior homonym, preocc. *Glaphyroptera* Heer, 1852.]
NEOGLAPHYROPTERA Osten Sacken, 1878: 10 (replacement name for *Glaphyrop-tera* Winnertz).
LEIOMYA, LEIOMYIA. Variant spellings of *Lejomyia*.
annae Lindner, 1958d: 5 (*Leiomyia*). Tanzania.
arsona Hutson, 1978: 123. South Africa; Kenya, St Helena, England (introduced).

MYCETOPHILIDAE

- barbarea** Lindner, 1958d: 5 (*Leiomyia*). Tanzania.
basilewskyi Tollet, 1956a: 452. Rwanda; Burundi.
biumbaensis Tollet, 1956a: 458. Rwanda.
bururiensis Tollet, 1956a: 455. Burundi.
continua Tollet, 1956a: 457. Rwanda.
determinaticollis Enderlein, 1910a: 185. South Africa.
gaudchaui Lindner, 1958d: 4 (*Leiomyia*). Tanzania.
innotata Enderlein, 1910a: 186. South Africa.
intermissa Tollet, 1956a: 459. Burundi.
jeanneli Edwards, 1914b: 55 (*Leiomyia*). Kenya.
muhavuraensis Tollet, 1956a: 453. Rwanda.
ngorongoroensis Vanschuytbroeck, 1965b: 389. Tanzania.
nigricans Tollet, 1956a: 454. Rwanda; Burundi.
nigroritida Edwards, 1914b: 56 (*Leiomyia*). Kenya.
notabilis Edwards, 1914b: 54 (*Leiomyia*). Kenya.
orientalis Vanschuytbroeck, 1965b: 387. Tanzania.
pauliani Matile, 1969: 138. Madagascar.
rwankeriensis Tollet, 1956a: 456. Rwanda.
setosa Matile, 1973d: 206. Fernando Pôo.
stigmatica Edwards, 1925c: 610. South Africa.
thomensis Edwards, 1934: 323. São Tomé.

Genus RHYMOLEIA Edwards

- RHYMOLEIA** Edwards, 1924c: 570 (as subgenus of *Leiomyia*). Type-species: *Leiomya fijiiana* Edwards, 1924, by monotypy.
maculicoxa Enderlein, 1910b: 69 (*Leia*). Seychelles.
seychellensis Enderlein, 1910b: 70 (*Leia*). Seychelles.
tanganyikae Matile, 1973c: 5. Tanzania.
villiersi Matile, 1973e: 151. Senegal.

Subfamily MANOTINAE

Genus MANOTA Williston

- MANOTA** Williston, 1896b: 260. Type-species: *Manota defecta* Williston, 1896, by monotypy.
APHANIZOPHLEPS Enderlein, 1910a: 201. Type-species: *Aphanizophleps coxata* Enderlein, 1910, by original designation.
flavipes Enderlein, 1910b: 68 (*Aphanizophleps*). Seychelles.
fusca Matile, 1972d: 92. Central African Republic.
issongo Matile, 1972d: 93. Central African Republic.
lachaisei Matile, 1972d: 94. Ivory Coast.
mabokeensis Matile, 1972d: 94. Central African Republic.
nigra Matile, 1972d: 96. Cameroun.
saepium Matile, 1972d: 96. Cameroun.
teocchii Matile, 1972d: 96. Central African Republic.

Subfamily MYCETOPHILINAE

Tribe EXECHIINI

Genus ALLODIA Winnertz

ALLODIA Winnertz, 1863: 826. Type-species: *Mycetophila ornaticollis* Meigen, 1818, sensu Winnertz [misident., = *Mycetophila lugens* Wiedemann, 1817], by designation of Johannsen (1909: 104).
Unidentified spp.—Cameroun, Comoro Is.

Genus BREVICORNU Marshall

BREVICORNU Marshall, 1896: 306. Type-species: *Brevicornu flava* Marshall, 1896, by designation of Tuomikoski (1966a: 184).
Unidentified sp.—Cameroun.

Genus EXECHIA Winnertz

EXECHIA Winnertz, 1863: 879. Type-species: *Tipula fungorum* de Geer, 1776, sensu Winnertz [misident., = *Mycetophila fusca* Meigen, 1804], by designation of Johannsen (1909: 106).
areolata Enderlein, 1910b: 73 (*Phronia*). Seychelles.
flabellipennis Enderlein, 1910b: 71 (*Phronia*). Seychelles.
pedekiboana Lindner, 1958d: 5. Tanzania.
subvenosa Enderlein, 1910b: 74 (*Phronia*). Seychelles.
tricincta Enderlein, 1910b: 75 (*Phronia*, as var. of *subvenosa*). Seychelles.

Genus PSEUDEXECHIA Tuomikoski

PSEUDEXECHIA Tuomikoski, 1966a: 180. Type-species: *Exechia trisignata* Edwards, 1913, by original designation.
camerounensis Matile, 1971a: 213. Cameroun.
edwardsiana Matile, 1971a: 210. São Tomé.
hancocki Matile, 1971a: 210. Uganda.
silhouettensis Enderlein, 1910b: 72 (*Phronia*). Seychelles.
tanganyikae Lindner, 1958d: 5 (*Exechia*). Tanzania. **Comb. n.**

Genus RYMODIA Winnertz

RYMODIA Winnertz, 1863: 810. Type-species: *Mycetophila fasciata* Meigen, 1804, by designation of Johannsen (1909: 102). [*M. fasciata* an originally included species in *Rymodia* by its inclusion as a synonym of *Mycetophila discoidea* Meigen, 1818.]
RHYMODIA. Variant spelling of *Rymodia*.
cretensis Lundström, 1911: 396. Greece (Crete); ? Kenya. [? Afrotropical.]
msingiensis Lindner, 1958d: 6. Tanzania.

Tribe MYCETOPHILINI

Genus ASPIDIONIA Colless

ASPIDIONIA Colless, 1966: 664. Type-species: *Aspidonia palauensis* Colless, 1966, by original designation.
balachowskyi Matile, 1974d: 590. Comoro Is.

Genus EPICYPTA Winnertz

EPICYPTA Winnertz, 1863: 909. Type-species: *Mycetophila scatophora* Perris, 1849, by designation of Johannsen (1909: 110).
DELOPSIS Skuse, 1890a: 623. Type-species: *Delopsis flavipennis* Skuse, 1890, by monotypy.
auranticeps Edwards, 1914b: 56 (*Delopsis*). Kenya.
collaris Enderlein, 1910b: 81 (*Mycetophila*). Seychelles.
costalis Matile, 1973d: 207. Fernando Pôo; Cameroun.
femorata Matile, 1973d: 209. Fernando Pôo.
halterata Matile, 1973d: 211. Fernando Pôo.
luridiceps Enderlein, 1910b: 81 (*Mycetophila*). Seychelles.
propinqua Matile, 1973d: 211. Fernando Pôo.
proxima Matile, 1973d: 211. Fernando Pôo.
scutellata Matile, 1973d: 209. Fernando Pôo; Cameroun.
seychellensis Enderlein, 1910b: 80 (*Mycetophila*). Seychelles.
vicina Matile, 1973d: 212. Fernando Pôo.

Genus MYCETOPHILA Meigen

FUNGIVORA Meigen, 1800: 16. Suppressed by I.C.Z.N., 1963b: 339 (Opinion 678).
MYCETOPHILA Meigen, 1803: 263. Type-species: *Tipula agarici* Villers, 1789, by designation of Johannsen (1909: 116).
collineola Speiser, 1909b: 36 (*Fungivora*). Tanzania; Kenya.
ruficollis Meigen, 1818: 262. Austria; Kenya, São Tomé, South Africa, widespread Europe & Oriental Reg. [Probably misident. in Afrotrop. Reg.]
lineola, authors, not Meigen (misident.).
subscutellaris Lindner, 1958d: 6 (*Fungivora*). Tanzania. **Comb. n.**

Genus PHRONIA Winnertz

PHRONIA Winnertz, 1863: 857. Type-species: *Phronia rustica* Winnertz, 1863 [= *Mycetophila exigua* Zetterstedt, 1852], by designation of Johannsen (1909: 96).
brevifurcata Enderlein, 1910b: 75 (*Macrobrachius*). Seychelles.

Genus PLATUROCYPTA Enderlein

PLATUROCYPTA Enderlein, 1910b: 76. Type-species: *Platurocypta limbatusfemur* Enderlein, 1910, by original designation.
EPICYPTA, authors, not Winnertz.
approximata Edwards, 1914b: 57 (*Epicypta*). Kenya; Tanzania.
limbatisfemur Enderlein, 1910b: 76. Seychelles.

Genus PLATYPROSTHIOGYNE Enderlein

PLATYPROSTHIOGYNE Enderlein, 1910b: 78. Type-species: *Platyprosthiogynne metameromelina* Enderlein, 1910, by original designation.
metameromelina Enderlein, 1910b: 78. Seychelles.
oresbia Matile, 1974d: 592. Cameroun.

Genus SCEPTONIA Winnertz

SCEPTONIA Winnertz, 1863: 907. Type-species: *Mycetophila nigra* Meigen, 1804, by designation of Johannsen (1909: 113).
Unidentified sp.—South Africa.

Genus ZYGOMYIA Winnertz

ZYGOMYIA Winnertz, 1863: 901. Type-species: *Mycetophila varia* Staeger, 1840, by designation of Johannsen (1909: 112).
Unidentified spp.—Cameroun, Central African Republic, Comoro Is.

Unplaced name in Mycetophilidae

sanctaehelenae Melliss, 1875: 194 (*Leia*). *Nomen nudum* [?] (attrib. Walker).

16. Family SCIARIDAE

by

W. A. STEFFAN

Sciaridae are commonly found in nearly all regions of the world, but are not well known because their small size and superficial homogeneity have tended to discourage collectors and taxonomists. The immature stages may be found in rotten wood, under the bark of fallen trees, or in other kinds of decaying plant material, or feeding in fungi or animal excrement. Some species feed on living plant tissues and can cause economically important damage.

The Afrotropical fauna has been very little studied, and the regional literature contains only isolated descriptions of new species and a few incomplete lists of species from certain areas. The treatment given here is essentially a list of published names, although some obviously necessary changes, such as the transfer of *Neosciara* species to *Bradysia*, have been made. Many generic placements are probably incorrect, but types will need to be examined before appropriate generic assignments can be made; many species in *Sciara* will probably have to be transferred to other genera once the type-material has been studied. The genera *Heterotricha* and *Rhynchoheterotricha* have been retained in the family, but their placement is questionable: some authorities suggest that these genera are more closely related to the Mycetophilidae.

A comprehensive revision of the world genera of Sciaridae is much needed to bring stability to the higher classification. At present the most useful general taxonomic works on the family are those of Frey (1942, 1948) and Tuomikoski (1960) dealing with the northern European fauna, and that of Steffan (1966) on the North American fauna.

Sciara variabilis Meunier is omitted, as Meunier's (1905b) identification of this species in Zanzibar copal is very questionable.

Genus AFROSCIARA Séguy

AFROSCIARA Séguy, 1961: 415. Type-species: *Afrosciara pallida* Séguy, 1961, by original designation.
pallida Séguy, 1961: 415. Guinea.

Genus AMESICRIUM Enderlein

AMESICRIUM Enderlein, 1911d: 128. Type-species: *Amesicrium nanum* Enderlein, 1911, by original designation.
nanum Enderlein, 1911d: 128. Seychelles.

Genus APELMOCREAGRIS Enderlein

APELMOCREAGRIS Enderlein, 1911d: 146. Type-species: *Lycoria bibionea* Speiser, 1909 [= *Sciara thoracica* Macquart, 1838], by original designation.
thoracica Macquart, 1838a: 82 (78) (*Sciara*). Madagascar; Cameroun, 'Congo', Fernando Póo, Kenya, Rhodesia, Tanzania.
ruficollis Walker, 1848: 104 (*Sciara*). 'Congo'.